

WCWATER COILS







Price factory-mounted water coils are designed specifically to suit Price terminals units. Price's water coils have a staggered copper tubing arrangement combined with aluminum fins that have an optimized profile to provide effective and economical heat transfer. Price water coils are certified to AHRI 410.





Single Duct Terminal with Water Coil and Access Door



Fan Powered Terminal with Water Coil



QUALITY CONSTRUCTION

The water coil casing is fabricated with 22 gauge galvanized steel, with mechanically sealed, leak-resistant construction. The finned coil body is fabricated by expanding the tubes to maximize the surface area of the fins in contact with the tubes. The copper tubes are supplied with sweat connections for simple field connections to the on-site water supply.

EASY MAINTENANCE

Price water coils are available with upstream and downstream access doors. Optional snap latches or quarter turn sash latches are available for tool free access.

VALVE PACKAGES

Hot water coils for single duct and fan powered terminal units are available with a factory leak-tested valve package for simplicity and ease of installation. Units with valve packages are shipped as an assembly, reducing cost and coordination for the contractor on site. Each valve package is available with the following options:

- + Factory installed or shipped loose as assemblies for field installation
- + Flow control valves, temperature control valves, isolators, and ball valves
- + 2-way or 3-way valves
- + Valve package enclosure
- + Accessories: Y-strainer, PT ports, and flex hoses
- + 1/2" and 3/4" connections
- + Temperature control valve:
 - On/off, floating, and modulating
 - Fail in place or sprint return
 - 24V and 110-240V
 - Factory installed control valve by others available
- Balancing Valve with automatic & manual flow control

TYPICAL APPLICATIONS

Water coils offer an alternative to electric reheat coils and are typically used for sensible heating.


Water coils are available as an accessory for Price Single Duct and Fan Powered Terminal Units, or as a stand-alone duct heater.

STANDARD DESIGN

- + 22 gauge zinc-coated steel casing
- One to four row construction.
- + Aluminum fins spaced at 10 fins per inch

OPTIONAL FEATURES

- Oversized coils for additional performance flexibility
- High capacity construction with 12 fins per inch
- Upstream or downstream access doors with a variety of fastening methods





Product Improvement is a continuing endeavour at Price. Therefore, specifications are subject to change without notice. Consult your Price Sales Representative for current specifications or more detailed information. Not all products may be available in all geographic areas. All goods described in this document are warranted as described in the Limited Warranty shown at **priceindustries**.com. The complete Price product catalog can be viewed online at **priceindustries**.com.